DID YOU KNOW?

about our... XBolt® PRO STUD RANGE



Page 1 of 3

The Professional Range for concrete anchoring

High performance XBolt® PRO-Stud concrete screw anchor for professionals with zinc plated coating. As it is screwed into the concrete it creates its own undercut by tapping the concrete hole. The cutting and locking mechanism enable the anchor to be used in close spacing and edge distance applications.

Features

- Removable. Ideal for temporary application
- Suitable for close anchor spacing and edge distance applications
- ETA Option 1. Approved for cracked and non-cracked concrete
- Male external thread for mounting of fixture or coupling
- Fire and seismic rated as shown below, refer for the ETA for full details
- Quick and easy install
- » Conforming to AS 5216:2018

Applications

- Hand rail fastening
- Base plate fastening
- Formwork and bracing
- Channel and bracket fastening
- Hanging of cable tray and mechanical services.






XBOLT® PRO - STUD ZINC PLATED (ROHS COMPLIANT) **ETA OPT 1 / FIRE RATED**

Part	QFind	Size	Length	Pack Qty
		(mm)	(mm)	
EXSMSZD15M080090	EXS100	M8	90	100
EXSMSZD15M080120	EXS101	M8	120	100
EXSMSZD15M080160	EXS102	M8	160	50



Part	QFind	Size	Length	Pack Qty
		(mm)	(mm)	
EXSMSZD17M100105	EXS103	M10	105	50
EXSMSZD17M100125	EXS104	M10	125	50
EXSMSZD17M100195	FXS105	M10	195	25



Part	QFind	Size	Length	Pack Qty
		(mm)	(mm)	
EXSMSZD18M120118	EXS106	M12	118	25
EXSMSZD18M120138	EXS107	M12	138	25
EXSMSZD18M120208	EXS108	M12	208	25
EXSMSZD18M120248	EXS109	M12	248	25























Bolt Tension | Anti-Vibration | Product Reliability | Traceability



DID YOU KNOW?

about our... XBolt® PRO STUD RANGE



Page 2 of 3

Label Sample

ZINC PLATED (ROHS COMPLIANT) XBOLT® PRO - STUD ETA OPT 1 / C1 C2 / FIRE RATED

M12 X 118

QFind: 25 pcs

EXS106

XBOLT - PRO

EXSMSZD18M120118 DOC: 10021

PO: 74335 NS2 CTN WGT: 1.89kg

Hobson Engineering Co Pty Ltd, 10 Clay Place, Eastern Creek, NSW 2766, Austr





Logo's Explained



European Technical Assessment



= Seismic rated



= Fire resistance rated



= Cracked concrete



= Non-cracked Concrete





XBolt® PRO Carton



Bolt Tension | Anti-Vibration | Product Reliability | Traceability




DID YOU KNOW?

about our... XBolt® PRO STUD RANGE



Page 3 of 3

How to download ETA's



PRODUCT





Bolt Tension | Anti-Vibration | Product Reliability | Traceability