

TRIPAC

PRODUCT CATALOGUE



PROUDLY DISTRIBUTED BY

CABAC

CABAC.COM.AU/TRIPAC

TRIPAC IS BEP CERTIFIED

In case you didn't know
that's kind of a big deal.



We believe that quality doesn't have to come with a hefty price tag, nor should it harm the world we share. That's why we've made it our mission to produce products that excel in performance and sustainability.

Best Environmental Practice Certification (BEP): We are committed to integrating the principles of Best Environmental Practice into every facet of our operations. Our dedication to minimizing environmental impact drives us to adopt responsible practices, ensuring our products are not only fit for purpose but also environmentally responsible.


AS/NZS 2053.5:2001: We hold ourselves to the highest standards, ensuring our products fully comply with AS/NZS 2053.5:2001 (Conduits and fittings for electrical installations - Corrugated conduits and fittings of insulating material). By rigorously adhering to this Standard we guarantee the quality of our products.

Exceptional Value without Compromise: With Tripac you can expect high-quality products that are responsibly manufactured at fair prices. Our promise is top performance and environmental responsibility, without any trade-offs.

Switch to Tripac today.

SERIOUSLY GOOD CORRO CONDUIT

From versatile applications to meeting rigorous standards, our BEP corro is all you need for residential & commercial projects.



**MEETING STRINGENT
STANDARDS**







**RESIDENTIAL &
COMMERCIAL USE**



**LEAD & MERCURY
FREE**



**CONDUIT METRE
MARKINGS**



**MEDIUM DUTY
GREY**

CC1650	16MM X 50M
CC2010	20MM X 10M
CC2020	20MM X 20M
CC2050	20MM X 50M
CC2510	25MM X 10M
CC2520	25MM X 20M
CC2550	25MM X 50M
CC3210	32MM X 10M
CC3225	32MM X 25M
CC4010	40MM X 10M
CC4025	40MM X 25M
CC5010	50MM X 10M
CC5025	50MM X 25M

**HEAVY DUTY
ORANGE**

CC02010	20MM X 10M
CC02025	20MM X 25M
CC02050	20MM X 50M
CC02510	25MM X 10M
CC02525	25MM X 25M
CC02550	25MM X 50M
CC03210	32MM X 10M
CC03225	32MM X 25M
CC04010	40MM X 10M
CC04025	40MM X 25M
CC05010	50MM X 10M
CC05025	50MM X 25M

**MEDIUM DUTY (COMMS)
WHITE**

CCW2025	20MM X 25M
CCW2050	20MM X 50M
CCW2525	25MM X 25M
CCW2550	25MM X 50M
CCW3225	32MM X 25M


**HEAVY DUTY (SOLAR)
GREY**

CCS2050	20MM X 50M
CCS2550	25MM X 50M
CCS3225	32MM X 25M

MEDIUM DUTY - GREY




BEND STANDARD	
20MM	SB20-P
25MM	SB25-P
32MM	SB32-P
40MM	SB40-90
50MM	SB50-90



ADAPTER PLAIN → SCREW	
20MM	PS20-P
25MM	PS25-P
32MM	PS32-P
40MM	PS40-P
50MM	PS50




ELBOW 90°	
20MM	EL20-P
25MM	EL25-P
32MM	EL32-P



TEE STANDARD	
20MM	ST20-P
25MM	ST25-P
32MM	ST32-P



REDUCER INTERNAL	
25-20MM	RID25/20
32-25MM	RID32/25
40-32MM	RID40/32
50-40MM	RID50/40



COUPLER	
20MM	TRITC20-P
25MM	TRITC25-P
32MM	TRITC32-P
40MM	TRITC40-P
50MM	TRITC50-P




BEND SWEEP	
20MM	SWB20-90G
25MM	SWB25-90G



ADAPTER 90° SCREW → CORR	
20MM	CA20-90-P
25MM	CA25-90-P




ELBOW 90° INSPECTION	
20MM	IE20-P
25MM	IE25-P
32MM	IE32-P



TEE INSPECTION	
20MM	IT20-P
25MM	IT25-P
32MM	IT32-P
40MM	IT40



REDUCER SCREWED	
25-20MM	SR25/20
32-25MM	SR32/25
40-32MM	SR40/32
50-40MM	SR5040



STRAIGHT GLAND W/ NYLON RING	
20MM	TRISG20
25MM	TRISG25
32MM	TRISG32




COUPLER THREADED (F)	
20MM	PS-F
25MM	PS-F25




ADAPTER SCREW → CORR	
20MM	CSCT20-P
25MM	CSCT25-P
32MM	CSCT32-P
40MM	CSCT40-P




ELBOW SOLID	
20MM	SE20-P
25MM	SE25-P




END CAP	
32MM	EC32
40MM	EC40
50MM	EC50
63MM	EC63
100MM	EC100
125MM	EC125
150MM	EC150



REDUCER STEP	
25MM	RD25/20-P
20MM	
32MM	RD32/25-P
25MM	



BUSH (MALE + FEMALE)	
20MM	BUSH20
25MM	BUSH25
32MM	BUSH32



LOCK RING	
20MM	LR20-P
25MM	LR25-P
32MM	LR32-P
40MM	LR40-P
50MM	LR50-P



ADAPTER PLAIN → CORR	
20MM	CSCP20-P
25MM	CSCP25-P

Find the right fit for your project!

All our fittings are manufactured in strict accordance to AS/NZS 2053.5:2001.



CONFORMS TO AS/NZS 2053.5:2001

HEAVY DUTY - ORANGE




BEND STANDARD	
20MM	SB020-P
25MM	SB025-P
32MM	SB032-P




BEND SWEEP	
20MM	SWB20-90-P
25MM	SWB25-90-P
32MM	SWB32-90-P
40MM	SWB40-90
50MM	SWB50-90
63MM	SWB63-90
80MM	SWB80-90
100MM	SWB100-90
150MM	SWB150-90




ELBOW SOLID	
20MM	SE020-P
25MM	SE025-P




END CAP	
32MM	EC032
40MM	EC040
50MM	EC050
63MM	EC063
100MM	EC0100
125MM	EC0125
150MM	EC0150



COUPLER	
20MM	TC020-P
25MM	TC025-P
32MM	TC032-P
40MM	TC040-P
50MM	TC050-P



LOCATING FLANGE	
20MM	LC20
25MM	LC25
32MM	LC32



LOCATING FLANGE MINI	
25MM	MLC25


MEDIUM DUTY - WHITE



BEND STANDARD	
20MM	SBW20-P
25MM	SBW25-P
32MM	SBW32-P



BEND SWEEP	
20MM	COMB20-90
25MM	COMB25-90
32MM	COMB32-90
50MM	COMB50-90



COUPLER	
20MM	TCW20
25MM	TCW25



AIRCON TRAP	
20MM	ACT20
25MM	ACT25

Did you know?

All Tripac fittings are lead and mercury-free, non-flame propagating, designed to operate from -5°C to 60°C, and UV stabilised for enhanced durability.



MERCURY & LEAD FREE




UV STABILISED



NON-FLAME PROPAGATING

ROUND JUNCTION BOXES - PVC GREY

DESCRIPTION	SHALLOW	DEEP
1 WAY 20MM	JB1-20	DJB1-20
1 WAY 25MM	JB1-25	DJB1-25
2 WAY 20MM	JB2-20	DJB2-20
2 WAY 25MM	JB2-25	DJB2-25
3 WAY 20MM	JB3-20	DJB3-20
3 WAY 25MM	JB3-25	DJB3-25
4 WAY 20MM	JB4-20	DJB4-20
4 WAY 25MM	JB4-25	DJB4-25
REAR ANGLE 2 WAY 20MM	JB5-20	
REAR ANGLE 2 WAY 25MM	JB5-25	DJB5-25




TANGENTIAL JUNCTION BOXES - PVC GREY

DESCRIPTION	SHALLOW	DEEP
H WAY 20MM	JTH-20	DTH-20
H WAY 25MM	JTH-25	DTH-25
U WAY 20MM	JTU-20	DTU-20
U WAY 25MM	JTU-25	DTU-25
Y WAY 20MM	JTY-20	DTY-20
Y WAY 25MM	JTY-25	DTY-25




SQUARE JUNCTION BOXES - PVC GREY

DESCRIPTION	PLAIN	WITH HOLE
1 WAY 40MM	SJB1-40	DB40
2 WAY 40MM	SJB2-40	
3 WAY 40MM	SJB3-40	



ROUND JUNCTION BOX ACCESSORIES - PVC GREY

DESCRIPTION	
EXTENSION RING	EXTN
LID	JBL
20MM PLUG	TRICP20-P
25MM PLUG	TRICP20-P




DISPOSABLE LID FOR ROUND JUNCTION BOXES - PVC

DESCRIPTION	WITH LUGS	NO LUGS
ORANGE	DLO	DLOLL
BLUE	DLB	
GREEN	DLG	
RED	DLR	
WHITE	DLW	
YELLOW	DLY	



ADAPTABLE BOXES - PVC GREY

SIZE	PLAIN	KNOCKOUTS	SIDES
75 X 75 X 50MM	AB332	ABKO332	2 SIDES: 2 X 20MM
75 X 75 X 75MM	AB333		
100 X 100 X 50MM	AB442	ABKO442	2 SIDES: 2 X 20MM, 1 X 25MM
100 X 100 X 75MM	AB443	ABKO443	2 SIDES: 2 X 20MM, 1 X 25MM
150 X 150 X 50MM	AB662	ABKO662	4 SIDES: 2 X 20MM, 1 X 25MM
150 X 150 X 75MM	AB663		
150 X 150 X 100MM	AB664	ABKO664	4 SIDES: 2 X 20MM, 1 X 25MM
225 X 150 X 50MM	AB962	ABKO962	4 SIDES: 2 X 20MM, 1 X 25MM
225 X 150 X 75MM	AB963		
225 X 225 X 75MM	AB993		
225 X 225 X 100MM	AB994	ABKO994	4 SIDES: 4 X 20MM, 2 X 25MM
300 X 300 X 75MM	AB12123		
300 X 300 X 100MM	AB12124		
300 X 300 X 150MM	AB12126		



Knockout Adaptable Boxes

Simplify conduit and cable installation with preset knockouts for efficient wiring tasks.

CONDUIT FULL SADDLES

SIZE	STAINLESS STEEL 316	GALVANISED STEEL HOT DIP	GALVANISED STEEL	PVC
12MM		FS12HDG		
16MM	FS16SS	FS16HDG		
20MM	FS20SS	FS20HDG	FS20-P	CS20-P
25MM	FS25SS	FS25HDG	FS25-P	CS25-P
32MM	FS32SS	FS32HDG	FS32-P	CS32-P
40MM	FS40SS	FS40HDG	FS40-P	
50MM	FS50SS	FS50HDG	FS50-P	
63MM	FS63SS			



CONDUIT HALF SADDLES

SIZE	STAINLESS STEEL 316	GALVANISED STEEL HOT DIP	GALVANISED STEEL	GALV. W/ NAIL
16MM	HS16SS	HS16HDG		
20MM	HS20SS	HS20HDG	TRIHS20-P	HS20N-P
25MM	HS25SS	HS25HDG	TRIHS25-P	HS25N-P
32MM	HS32SS	HS32HDG	TRIHS32-P	
40MM	HS40SS	HS40HDG	TRIHS40-P	
50MM	HS50SS	HS50HDG		



CONDUIT U CLIPS - GREY

SIZE	PVC
20MM	CLIP20-P
25MM	CLIP25-P



5 REASONS TO SWITCH


TRIPAC

CORRUGATED CONDUIT & FITTINGS

THERE'S NEVER BEEN A BETTER TIME TO SWITCH



MEETING STRINGENT STANDARDS



RESIDENTIAL & COMMERCIAL USE



LEAD AND MERCURY FREE



BEP CERTIFICATION PVC



CORRUGATED CONDUIT METRE MARKINGS

1. STRINGENT STANDARDS

Tripac fully complies with AS/NZS 2053.5:2001 standards, ensuring reliability and longevity in your projects.

2. RESIDENTIAL & COMMERCIAL USE

Choose from a range of options, including Heavy Duty Solar, Medium Duty Grey, Heavy Duty Orange, and Medium Duty White (Comms), perfect for both residential and commercial projects.

3. LEAD AND MERCURY FREE

Our products are free from lead and mercury, two harmful substances that can pose risks to human health and the ecosystem. This means you can use our products with confidence, knowing that you're reducing potential exposure to these hazardous elements.

4. BEP CERTIFICATION

Contribute to a building's Green Star certification by using our BEP certified range.

5. CORRUGATED CONDUIT WITH METRE MARKINGS

Our corrugated conduit is marked every 1 metre for fast and easy measurements, saving you time and effort during installation.

LET'S STAY CONNECTED



SYDNEY WAREHOUSE

8 Distribution Place,
Seven Hills NSW 2147



TELEPHONE

133 122



EMAIL

sales@cabac.com.au

PROUDLY DISTRIBUTED BY



CABAC.COM.AU/TRIPAC

TRI-CAT-VOL23

MKT203-0823