



PROTECTION ZONES:



| * Lab tested in accordance with HRC ATPV: 46 Cal/cm2 for a level 4 performance |
|--|
| |

| EN388 CUT NEWTONS | 27.5 |
|----------------------|-----------------------|
| ANSI/ISEA CUT | GRAM SCORE |
| A5 | 2509 |
| EN388: 2016 (| ANSI/ISEA PUNCTURE |
| EN407: 2004 | |

| Burning Behaviour | Level |
|--------------------------------|-------|
| Contact Heat | Level |
| Conective Heat | Level |
| Radiant Heat | Level |
| Small splashes of molten metal | Level |
| Large splashes of molten metal | Level |
| | |

422241

ATTRIBUTES:

| Style: | Mechanics |
|-------------|---------------------|
| Grip: | Dry or light oil |
| Cuff Style: | SlipFit® |
| Sizes: | 6/XS through 12/3XL |

FEATURES:

HexArmor® Chrome Series® gloves are built for a wide array of applications. Each product in the series was crafted to fit the hand with a specific purpose. With over 14 styles and various features such as impact protection, an abrasion-resistant knuckle patch, or a PVC printed palm, you can be confident that the Chrome Series® will keep your hands protected in any hazardous condition. Our Chrome Core® gloves were designed with comfort in mind, providing unsurpassed dexterity while maintaining industry leading cut resistance.



Discover the HexArmor gloves range at hexarmor.com.au

HexArmor® products are cut and puncture resistant, NOT CUT AND PUNCTURE PROOF. Do not use with moving or serrated blades or tools. User shall be exclusively responsible to assess the suitability of the product as specified for any individual application or use. Protection zones are to be used as a general guide. Actual product protection zones may differ. Product features, design, protection zones subject to change.

Protected by patents and patents pending