

Safety gloves Chemical risks

uvex rubiflex S XG27B

- Lightweight, NBR chemical protection glove with optimal grip properties
- Very good mechanical abrasion resistance and good life-cycle thanks to multi-layered structure
- Outstanding grip in wet and oily areas thanks to uvex Xtra Grip technology
- Good resistance to grease, mineral oils and many chemicals
- Very good dexterity
- Ergonomic fit
- Outstanding wearer comfort due to the high quality cotton interlock liner supporting materials
- Extremely high flexibility
- EN388:2016 (3121X)
- EN ISO 374-1:2016/Type A (JKNOPT)
- EN407:2020 (X1XXXX)



EN 388: 2016



3121X

EN ISO 374-1:2016/Type A



JKNOPT

EN 407:2020



X1XXXX



MADE IN GERMANY

uvex Point of Difference	Benefits
Combination of NBR and chloroprene	Basic permeation resistance (Level 1/>10min) against many chemicals
Seamless cotton liner	High wearer comfort due to no seams. High moisture absorption means hands stay dry inside the glove
EN407 Contact Heat 100 degrees for up to 15 sec	Can be used handling warm work pieces.
Very good wet grip	Glove material makes it very easy to grab wet workpieces.

Permeation resistance of type A: at least 30 minutes each with at least 6 test chemicals.

- J - n-heptane level 6 > 480 minutes
- K - Sodium hydroxide 40% level 6 > 480 minutes
- N - Acetate acid 99% level 6 > 480 minutes
- O - Ammonium hydroxide 25% level 5 > 240 minutes
- P - Hydrogen peroxide 30% level 6 > 480 minutes
- T - Formaldehyde 37% level 6 > 480 minutes

Target Applications (but not limited to):

- Refining
- Housekeeping (hosing) with chemical present
- Handling contaminated materials
- Maintenance

Part Numbers / Barcodes:

- size 7 - XG27BF0 - 4048612041109
- size 8 - XG27BF1 - 4048612026304
- size 9 - XG27BF2 - 4048612026328
- size 10 - XG27BF3 - 4048612026335
- size 11 - XG27BF4 - 4048612026342

Packaging:

- 10 pairs per bundle
- 80 pairs per carton